



HATCH COVER WHEELS

Wheels

ECENTRIC 20.00 DIAMETER 200mm




ECENTRIC 20.02 DIAMETER 260mm




HATCH COVER WHEELS**Ballancing roller****BALLANCING ROLLER 22.04
DOUBLE LINK 2'5-4 TONS**

Double link 22.04


**BALLANCING ROLLER 22.05
SINGLE LINK 2'5-4 TONS**

Single link 22.05




HATCH COVER WHEELS**Ballancing roller****BALLANCING ROLLER 22.09
DOUBLE ABOVE 4 TONS**

Double link 22.09

**BALLANCING ROLLER 22.10
SINGLE ABOVE 4 TONS**


Single link 22.10



HATCH COVER WHEELS

Wheels


CHAIN GUIDE ROLLERS OF
ALL TYPES IN ALL SIZES



HATCH COVER WHEELS

Wheels


SPROCKET WHEELS




HATCH COVER WHEELS

Shackle

40.05 2'5-4 TONS




40.06 2'5-4 TONS




HATCH COVER WHEELS

Shackle

40.07 ABOVE 4 TONS



40.08 ABOVE 4 TONS



HATCH COVER WHEELS

Chain and connecting chains

CHAIN COUPLING SK

SK 44— 14mm Dia

SK 65-- 16mm Dia

